कावासोती नगरपालिका

**☎00て-¥80900**, **¥8999** Email:info@kawasotimun.gov.np Website: kawasotimun.gov.np

प.सं. च.नं.

# नगर कार्यपालिकाको कार्यालय

शिवमन्दिर, नवलपरासी वर्दघाट सुस्ता पूर्व) गण्डकी वर्द्धा नेपाल

### क्याटलक सर्पिग विधिबाट एम्बुलेन्स खरिद सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति २०७९/०६/०७) (ठेक्का नं. 01/KM/ABLC/079-080)

यस कार्यालयलाई आवश्यक पर्ने एम्बुलेन्स सार्वजनिक खरिद ऐन २०६३ को दफा ८ उपदफा १ को खण्ड (क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) बमोजिम एम्बुलेन्स उत्पादन वा वितरण गर्ने उत्पादक वा त्यसको आधिकारिक विकेताहरु विच मात्र प्रतिस्पर्दा गराउने क्याटलक सिपंग विधिबाट खरिद गर्नु पर्ने भएकाले सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) को उपनियम (२) अनुसार देहाय बमोजिमको एम्बुलेन्स बिक्री गर्न चाहने उत्पादन वा वितरण गर्ने उत्पादक वा त्यसको आधिकारिक बिक्रेताहरुले आ-आफ्नो उत्पादनको आधिकारिक स्पेशिफिकेशन, गुणस्तर, मुल्य र सुविधा सहितको विवरण (क्याटलक वा ब्रोसर) र अन्य बिक्रेताको आधिकारिक अनुमित पत्र सहित, निवेदन, दर्ता प्रमाण-पत्र, आबश्यक समय सम्मको करचुक्ता, निवेदन प्रमाण-पत्र, आबश्यक समय सम्मको करचुक्ता, निवेदन प्रमाण-पत्रको प्रतिलिपीहरु संग्लन राखी यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र यस कार्यालयमा निवेदन दर्ता गराउनको लागि सम्बन्धीत सबैमा यो सूचना प्रकाशन गरिएको छ। साथै एम्बुलेन्सको स्पेशिफिकेशन सिहत विवरण यस कार्यालयको www.kawasotimun.gov.np मा राखिएको छ।

तपसिल

क्र.स.	विवरण	परिमाण	इकाई	दर	जम्मा रु	कैफियत
8	Hardtop jeep (Ambulance)	2	unit	2100000/-	4200000/-	
जम्मा	₹ 5				4200000/-	

प्रमुख प्रशासकीय अधिकृत

## **Estimate Bill**

गाडी मेरिनः Hardtop jeep (ambulance) कार्यालय प्रयोजन

मेक/मोडल

Unit	21,00,000	42,00,000	
1			
		42,00,000	
		The CVAT po	42,00,000 42,00,000

In Words: Fourty two lakhs Rupees only.( VAT not applicable)

तयार गर्ने

सदर गर्ने



Er. Prem pd. Sapkota. Date:- 2079/05/31

NEC NO: 2854 (mechanical)

Category- 'A'

Johnson't Of.

#### Technical specifications of Hard Top Jeep(2400-2600cc) Ambulance "Category- B"

Criteria	Required Specification	Offered Specification
General	Hard Top Jeep, 4WD, Right Hand Drive model suitable for driving in Nepal. Gross vehicle weight of the vehicle shall not less than 2400 Kgs and shall have seating capacity for at least driver, co-passenger and patient.	
I n sine	Diesel Engine, developing maximum rated power output not less than 60 BHP & maximum torque not less than 110 NM at governed RPM, Engine Displacement between 2400-2600 CC, Engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions.	
Vheel Base	Not more than 2800mm	
Sverall Length	Not more than 4500mm	
Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
Clutch	Single Dry Plate	
Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
Ground Clearance	Minimum 180 mm	
uspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
Tyres	Standard Size	
Steering	Power Steering	
. Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	
. Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
5. Chassis &	Heavy duty metal frame	

Essential	A. Head light, tail and rear light, reversing light and turn signals.	
	B. Cabin Lights	
Accessories	C. Speedometer/ Odometer.	
	D. One Spare wheel with tyre and tube.	
	D. One Spare wheel was the same the sam	
	E. Suitable jack and handle.	
	F. Seat belt for driver and co-driver.	
	G. Stretcher	
	H. Siren	
	I. Flashing Light on top (As per Nepal Standard)	
	J. Oxygen Cylinder holder	
	V Saline Bottle holder	
	I Anti- Skid floor Equipped with all accessories offered in the	
	standard model but not limited to the above items.	
	Standard model out live	
Emergency	1 Sethescope	
cquipment	2 Torch light	
	3 Tongue Depressure	
<b>C</b> -	4 ly Drips	
(°)	5 B.p set	
	6 cannual and syrings	
	7 ECG monitor and oxygen monitor	
	8 intubation set	
	9 Nebuliser set	
	10 Ambu bag	
	11 manual suction set	
	12 cervical collar	
	13 CPR Board	
	14 oxygen supply	
	15 Automated external defibrillator	
	16 Delivery set	
	17 Dressing sets	
	18 splints	
	19 Catheterization sets	
6		
<u> </u>	Sthe Operator's and Owner's instructions and maintenance	
Manuals	One Copy of the Operator's and omnual in English shall be supplied with the vehicle.	
1	A set of tools as required for general maintenance shall be supplied.	
Tools	A Set of tools at 1-1	
Colour	Standard	
· Proven	The vehicle offered shall be under standard production by the	
l'erformance	manufacturer for at least five years.	
remormance		
Warranty	Manufacturer shall provide a minimum of One year or 20,000 kms	
- Warranty	which ever earlier after acceptance.	
Belivery	Hard Top Jeep (Ambulance Category) Municipality, kawasoti, Ba su pu,Gandaki province, Nepal	

De ANDINGO

Date: 31/05/2079