



नगर कार्यपालिकाको कार्यालय

कावासोती, नवलपरासी (वर्दघाट-सुस्तापूर्व)

गण्डकी प्रदेश, नेपाल

कृषी औजार खरिद सम्बन्धी शिलबन्दी दरभाउपत्र आव्हान गरिएको सूचना

सूचना प्रकाशित मिति: २०७९/११/२०

- यस कार्यालयबाट कृषकहरुलाई कृषी औजार खरिद गरी अनुदानमा वितरण गर्नु परेकोले सूचना प्रकाशित भएको मितिले १५ दिन भित्र कार्यालय समय भित्र दरभाउपत्र फारम दस्तुर रु.३०००/- (अक्षरेपी रु. तिन हजार मात्र (पछि फिर्ता नहुने गरी कावासोती न.पा.को राष्ट्रिय बाणिज्य बैंक कावासोती शाखाको राजश्व खाता नं. ३२००१००३०१०१०००३ मा जम्मा गरी सकल भौचर पेश गर्नु पर्ने) वा राजश्व शाखामा राजश्व तिरी चालु आ.ब.को लागि नविकरण गरिएको फर्म दर्ता प्रमाणपत्र, व्यवसाय प्रमाणपत्र, आयकर दर्ता तथा मु.अ.कर दर्ता प्रमाणपत्र, आ.ब. २०७८/०७९ को कर चुक्ता प्रमाणपत्र समेतको नोटरी पब्लिकबाट प्रमाणित प्रतिलिपी सलग्न गरी दरभाउपत्रफारम खरिद गर्न इच्छुक व्यक्ति वा फर्म समक्ष यो सूचना प्रकाशित गरिएको छ। दरभाउपत्र फारम कावासोती नगर कार्यपालिकाको कार्यालय, कावासोतीमा निवेदन पेश गरी खरिद गर्न सकिनेछ।
- दरभाउपत्र पेश गर्दा यस कार्यालयको अधिकार प्राप्त अधिकारीको सही छाप नभएको, एउटाको नाममा खरिद गरी अर्कै नाममा दर्ता गरेको र कुनै पनि शर्त राखी पेश भएको दरभाउपत्र मान्य हुने छैन।
- प्रथम पटक प्रकाशित सूचनाको १६ औं दिनको १२:०० बजे भित्र आफैले खरिद गरेको दरभाउपत्र रीतपूर्वक भरी शिलबन्दी गरी यस कार्यालयमा दर्ता गराइसक्नु पर्नेछ। दर्ता भएका दरभाउपत्रहरु सोही दिनको २:०० बजे दरभाउपत्रदाता वा निजको प्रतिनिधिको रोवरमा यस कार्यालयमा खोल्नेछन्। दरभाउपत्रदाता वा निजको प्रतिनिधी उपस्थित नभए पनि बोलपत्र खोल्न बाधा पर्नेछैन। दरभाउपत्र बिक्री गर्ने र दाखिला गर्ने अन्तिम दिन बिदा पर्ने गणमा सोको भोलिपल्ट कार्यालय खुलेको दिनलाई अन्तिम दिन मानिने छ।
- दरभाउपत्र दर्ता गर्दा तपसिल अनुसारको जमानत वापतको रकम कावासोती नगरपालिकाको कार्यालय, कावासोतीको राष्ट्रिय बाणिज्य बैंक कावासोती शाखाको धरौटी खाता नं. ३२००१००३०३०००००३ मा जम्मा गरेको सकलै भौचर वा 'क' बर्गको बैंकबाट जारी भएको र दरभाउपत्र खुल्ने मितिबाट १५० दिन म्याद भएको बैंक ग्यारन्टी (Bid Bond) बोलपत्रसाथ पेश गर्नुपर्नेछ। विदेशी बैंकको Bank Guarantee भएमा नेपाली बैंकबाट Endorse भएको हुनु पर्नेछ। स्वीकृत दरभाउपत्रदाताले कार्यालयले तोके अनुसारको कार्यालयको नामको परफरमेन्स वण्ड संभौता गर्नु अगावै पेश गर्नु पर्नेछ। नगद धरौटी राखिएकोमा परफरमेन्स वण्डमा परिवर्तन गर्न पाइने छैन।
- दरभाउपत्र स्वीकृत हुदा प्याकेजको रुपमा वा आइटम बाइज दर स्वीकृत गर्न सकिनेछ। दरभाउपत्रदाताले दरभाउपत्रको आइटम बाइज बिडिङ्ग गर्नु पर्नेछ। संभौता हुदा कार्यालय सामाग्रीको परिमाणमा थपघट हुन सक्नेछ। साथै दरभाउपत्र पूर्ण वा आंशिक रुपमा स्वीकृत गर्ने वा नगर्ने अधिकार यस कार्यालयमा सुरक्षित रहनेछ।
- दरभाउपत्र साथ आपूर्ति गर्ने कार्यालय सामाग्रीहरुको गुणस्तर रिपोर्ट पेश गरेको हुनुपर्नेछ।
- कार्यालय हाता सम्म सामान ढुवानी गर्न लाग्ने खर्च र सबै प्रकारका करहरु दरभाउपत्र दाताले नै ब्यहोर्नु पर्नेछ।
- सार्वजनिक खरिद नियमावली २०६४ को नियम ४०(ड) अनुसार दरभाउपत्र दाताले खरिद कार्यमा अयोग्य नभएको, प्रस्तावित खरिद कार्यमा आफ्नो स्वार्थ नवाफिएको र व्यवसाय संबन्धी कसुरमा सजाय नपाएको भनि लिखित घोषणा भएको कागजात दरभाउपत्र साथ पेश गर्नु पर्नेछ।
- एक आपसमा मिलेमतो गरी शिलबन्दी दरभाउपत्र दाखिला गरेको पाईएमा त्यस्तो दरभाउपत्र स्वीकृत गरीने छैन।
- दरभाउपत्र फारममा रकम उल्लेख गर्दा अंक र अक्षर दुबैमा स्पष्ट रुपमा उल्लेख गर्नु पर्ने छ। अंक र अक्षरमा फरक परेमा अक्षरमा उल्लेख गरिएको रकमलाई मान्यता दिइनेछ।
- दरभाउपत्रको प्रत्येक पानामा दरभाउपत्रदाताको आधिकारिक व्यक्तिको सही र छाप अनिवार्य रुपमा लागेको हुनु पर्नेछ। साथै दरभाउपत्रदाताले पेश गर्ने संपूर्ण प्रमाणपत्रहरु नविकरण भएको हुनुपर्ने छ।
- यस सूचनामा उल्लेख भएकोमा यसै अनुसार र अन्य कुराहरुको हकमा सार्वजनिक खरिद ऐन २०६३(संशोधन सहित) र सार्वजनिक खरिद नियमावली २०६४ तथा प्रचलित कानून अनुसार हुनेछ। बिस्तृत जानकारीको लागि कावासोती नगरपालिकाको कार्यालय, कावासोतीमा सार्वजनिक खरिद शाखा/ जिन्सीमा कार्यालय समय भित्र सम्पर्क राख्न सकिनेछ।

तपसिल

सि.नं	सूचना नं	विवरण	लागत अनुमान मू.अ.कर सहित	धरौटी रकम	कैफियत
१	03/KM/SQ/079/080goods	कृषी औजार खरिद	२१,६८,०००/-	६५०४०/-	


०१०

१५/११/२०

Technical specifications of submersible pump

S.N.	Criteria	Requirement	Offered requirement
1.	Type of product	submersible pump	
2.	Discharge	420 to 60 LPM	
3.	Min Power	2hp	
4.	Head Range	(6 to 30)meter	
5.	No of stage	6	
6.	Weight	40kg(approx)	
7.	Boring size	Min 100mm	
8.	Out let pipe size	50/65mm	
9	Application	Gardening, farm irrigation etc	
10	Pump housing	Stainless steel	
11	Delivery	2hp submersible pump shall be delivered to Kawasoti municipality kawasoti Ba su pu Nawalpur Nepal	





Technical specification of (Minitiller 9hp)

S.N.	Criteria	Requirement	Offered specification
1.	Engine Model	Diesel Engine 186f/ air cooled	
2.	Displacement (ML)	418 $\pm$ 1%	
3.	Rated Power	Min 9hp@3600rpm	
4.	Wheel	Standard	
5.	Blade	4x5 Dry Land Blades	
6.	Starting Mechanism	Electric Start / Recoil	
7.	Fuel	Diesel	
8.	Lubrication	SAE15W30	
9.	Transmission type	Gear Drive	
10	Bore x Stroke	(86x70) mm	
11	Clutch	Wet Friction Disc Clutch	
12	Gear Shifting	R:1.F:1,2	
13	Min. Fuel tank capacity	5.5 liters	
14	Tilling Depth	150-300mm	
15	Tilling Width	500-1350	
16	Net/Gross Weight kg	141/152(approx)	
17	Dimension(mm)	1750x1350x1050 (approx)	
18	Injection	Direct	
19	Clutch	Wet friction disc clutch	
20	Delivery	9hp mini tiller shall be delivered to Kawasoti municipality, kawasoti ,Ba /su .pu . Nawalpur	

Specifications of Aerator

S.N.	Criteria	Requirement	Offered specification
1.	Min Power	2hp	
2.	Impeller	4piece	
3.	Working area	5 to 12 Acere	
4.	Areation capacity	> 4kg/hr	
5.	Power efficiency	>1.5kg/kwhr	
6.	Material	Heavy dirty plastic	
7.	Use	All type of water pound areation	
8.	Product type	Paddle wheel Aerator and other	
9.	Voltage	220-480v	
10.	Usage	Agriculture	
11.	Warranty	As per company policy	
12.	Delivery	Aerator machine shall be delivered to Kawasoti municipality, kawasoti, Ba.su.pu., Nawalpur	

of.

Page 1

Technical specifications of Electric Chaff Cutter

S.N.	Criteria	Requirement	Offered specification
1.	Product	Electric chaff Cutter	
2	Body material	M s body	
3.	Power source	Electric motor	
4.	Min No of Blades	2	
5.	Phase	Single	
6	Min Power	2hp@ 1440rpm	
7	Capacity dry fodder/green fodder	600kg/500kg per hour approx	
8	Machine feed	Straw,dry,fresh feeds	
9	Weight approx	100kg	
10	Accessories	3 Roller,wheel,2mtr wiring connection, hopper,belt , pulley,blades,wheel cover (for safety), Automatic Auto on/off(motor)	
11	Blade material	High carbon steel	
12	Rotation direction	Clockwise	
13	Size of cutting wheel	Minimum 32"	
14	Warranty	As per company policy	
15	Delivery	Electric Chaff cutter shall be delivered to Kawasoti municipality, kawasoti ,Ba su pu ,Nawalpur, Nepal	

of.

At 14/10/1

Technical specifications of Combined mill(3hp motor)

S.N.	Criteria	Requirement	Offered specification
1.	Product	Combined mill/claw type	
2	Roller dimensions	40*370mm(approx)	
3.	Machine weight	75kg approx	
4.	High efficiency productivity (kg/h)	Milling 180kg/h Crushing 250kg/h	
5.	Phase	Single	
6	Motor Power	3hp	
7	Speed	1440-2800rpm	
8	Combined type	Wheat, Maize, rice etc	
11	Warranty	As per company standard	
12	Delivery	Combined mill shall be delivered to Kawasoti municipality, kawasoti ,Ba su pu Nawalpur	

[Signature]

[Signature]

Technical specifications of corn thresher/maize sheller machine

S.N.	Criteria	Requirement	Offered requirement
1.	Type of product	Multi tube Adjustable electric corn thresher	
2.	Motor Power	Min 1hp	
3.	Capacity	Min 300kg/h	
4.	Volatage	210v to 240v	
5.	frequency	50-60 hz	
6.	Phase	single phase	
7.	Shaft Speed	2800 rpm	
8.	Power consumption	2units/hr	
9	Body material	MS body	
10	Weight of machine	25Kg (approx)	
11	Uses	All size of corn with high efficiency	
12	Warranty	As per company	
13	Delivery	Corn thresher machine shall be delivered to Kawasoti municipality, kawasoti, Ba su pu, Nawalpur	

[Handwritten signature]

[Handwritten signature]

Specifications of Reaper Machine

S.N.	Criteria	Requirement	Offered specification
1.	Power	Min.6hp	
2.	Cylinder	4 stroke, water cooled Radiator type Diesel engine.	
3.	Fuel	Diesel	
4.	Speed	3600rpm	
5.	Fuel tank capacity	Min 3.6 ltrs	
6.	Productivity (m ² /hr)	Min 1800	
7.	Weight	200-300kg	
8.	Cutting height	Not less than 50mm	
9.	Cutter width	120 to 125cm(approx)	
10.	Working speed	1 to 6 km per hour	
11.	Starting system	Hand cranking	
12.	Accessories	Light system	
13.	Usage	Agriculture	
14.	Min No of crop divider/min No of Guiding wheel	5/4	
15.	Delivery	Reaper machine shall be delivered to Kawasoti municipality, kawasoti, Ba su pu, Nawalpur	

OK.

Signature

Specifications of Rechargeable battery Sprayer

S.N.	Criteria	Requirement	Offered specification
1.	General	2 in 1, Battery with manual operated sprayer used for agricultural purpose	
2.	Operation	Battery with manual operated	
3.	Power	Min 12 Volts battery	
4.	Accessories	Battery charger	
5.	Min Fuel tank capacity	18 ltrs	
6.	Colour	Standard	
7	Warranty	As per company policy	
8	Delivery	Rechargeable battery Sprayer shall be delivered to Kawasoti municipality ,kawasoti ,Ba su pu, Nawalpur	

OK.

Done

Technical specification of intercultiator/power weeder)

S.N.	Criteria	Requirement	Offered Required
1.	Engine Model	4 stroke,Diesel Engine ,178f	
2.	Displacement (CC)	296 +_ 5%	
3.	Minimum Rated Power(kw/hp/rpm)	4.1/5.5hp@1800rpm	
4.	Tyres	Tubeless tyres	
5.	Function	Ditcher Function	
6.	Starting Mechanism	Recoil manual start	
7.	Fuel	Diesel	
8.	Lubrication	SAE20W40	
9.	Transmission type	Gear Drive	
10.	Bore x Stroke	(78x62) mm	
11.	Clutch	Tensioner pulley works as the purpose of the clutch	
12.	Gear Shifting	2Fwd,1Rev(H/L)	
13.	Fuel tank capacity	3.5 liters	
14.	Cultivation width	58-62 cm	
15.	Cultivation Depth	4-6cm	
16.	Net Weight	150kg approx	
22.	Fuel consumption	0.75L/hr	
23.	Warranty	As per company norms	
24.	Delivery	intercultiator/power weeder shall be delivered to Kawasoti municipality, kawasoti Ba su pu Nawalpur	

[Handwritten signature]

[Handwritten signature]